Refine Search

Search Results -

Terms	Documents
(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L36

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=TDBD; PLUR=YES; OP=ADJ		
L36	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1	L36
	DB=DWPI; PLUR=YES; OP=ADJ		
L35	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1	L35
	DB=JPAB; PLUR=YES; OP=ADJ		
L34	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L34
	DB=EPAB; PLUR=YES; OP=ADJ		

L33	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L33
L32	L30 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L32
	DB=PGPB; PLUR=YES; OP=ADJ		
L31	L30 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L31
	DB=USOC; PLUR=YES; OP=ADJ		
L30	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$	91	L30
	DB=PGPB; PLUR=YES; OP=ADJ		
L29	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$	2470	L29
	DB=USPT; PLUR=YES; OP=ADJ		
L28	L27 and l24	2	L28
L27	717/124,126.ccls.	405	L27
L26	L25 and l24	12	L26
L25	714/1,2,15,,25,38,48,49,715.ccls.	3463	L25
L24	L22 and (modif$ Or chang$ or updat$ or upgrad$ or alter) near9 (error$ Or fault$ or fail$)	297	L24
L23	L22 and (modif$ Or chang$ or updat$ or upgrad$ or alter) near9 (error$ Or fault$ or fail$ or identi$ or name$)	299	L23
L22	L21 and (entr$ near8 (director$ or table$))	300	L22
L21	L20 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	945	L21
L20	l17 and replace$ near4 (updat$ or chang$ or modif$ Or overrid$)	2611	L20
L19	L18 and replace$	0	L19
L18	l17 and access$ near6 (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) L17	4	L18
L17	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$)	76730	L17
L16	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near6 (fault$ or error$ or fail$)	1	L16
L15	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near (fault$ or error$ or fail$)	1	L15
L14	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$)	1	L14
L13	l1 and (replac$ Or overrid$ Or modif$ or chang$)	1	L13
L12	l7 and (replac$ Or overrid$ Or modif$ or chang$)	1	L12
L11	l1 and (access$ near9 (updat$ Or modif$ or chang$ or overrid$))	0	L11
L10	l7 and (access$ near9 (updat$ Or modif$ or chang$))	0	L10
L9	L1 and (access$ near9 (updat$ Or modif$ or chang$))	0	L9
L8	L7 and (access$ or entr$ or direc$ or table$)	1	L8
L7	5119377.pn.	1	L7
L6	l1 and ((call$ or invok$) near5 receiv$)	0	L6

L5	l1 and (fault$ near6 hand$)	1	L5
L4	l1 and access$	1	L4
L3	L2 and (replac$ or overrid$)	1	L3
L2	L1 and (updat$ or modif$ or chang$) near4 (direc$ or table$)	1	L2
L1	6708291.pn.	1	L1

END OF SEARCH HISTORY

Terms used
test and **directory** and **change** and **update** and **replace** and **identifier**

Found **66,970** of **155,867**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 20 of 200 Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 A coherent distributed file cache with directory write-behind

Timothy Mann, Andrew Birrell, Andy Hisgen, Charles Jerian, Garret Swart

May 1994 **ACM Transactions on Computer Systems (TOCS)**, Volume 12 Issue 2

Full text available: pdf(3.21 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Extensive caching is a key feature of the Echo distributed file system. Echo client machines maintain coherent caches of file and directory data and properties, with write-behind (delayed write-back) of all cached information. Echo specifies ordering constraints on this write-behind, enabling applications to store and maintain consistent data structures in the file system even when crashes or network faults prevent some writes from being completed. In this paper we describe ...

Keywords: coherence, file caching, write-behind

2 Cache Memories

Alan Jay Smith

September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3

Full text available: pdf(4.61 MB) Additional Information: full citation, references, citings, index terms

3 The Integrated Dictionary/Directory System

Frank W. Allen, Mary E. S. Loomis, Michael V. Mannino

June 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 2

Full text available: pdf(2.71 MB) Additional Information: full citation, references, citings, index terms

4 Location-aware mobile applications based on directory services

Henning Maass

August 1998 **Mobile Networks and Applications**, Volume 3 Issue 2

Full text available: pdf(421.47 KB) Additional Information: full citation, abstract, references, citings, index terms

Location-aware applications are becoming increasingly attractive due to the widespread

Terms used
test and **directory** and **change** and **update** and **replace** and **error** and **identifier**

Found **62,996** of **155,867**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 21 - 40 of 200 Result page: previous 1 **2** 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

21 Hancock: A language for analyzing transactional data streams

Corinna Cortes, Kathleen Fisher, Daryl Pregibon, Anne Rogers, Frederick Smith

March 2004 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 26 Issue 2

Full text available: pdf(217.55 KB) Additional Information: full citation, abstract, references, index terms

Massive transaction streams present a number of opportunities for data mining techniques. The transactions in such streams might represent calls on a telephone network, commercial credit card purchases, stock market trades, or HTTP requests to a web server. While historically such data have been collected for billing or security purposes, they are now being used to discover how the transactors, for example, credit-card numbers or IP addresses, use the associated services.Over the past 5 years, w ...

Keywords: Domain-specific languages, data mining, statistical models

22 A taxonomy of computer program security flaws

Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3

Full text available: pdf(3.81 MB) Additional Information: full citation, abstract, references, citings, index terms, review

An organized record of actual flaws can be useful to computer system designers, programmers, analysts, administrators, and users. This survey provides a taxonomy for computer program security flaws, with an Appendix that documents 50 actual security flaws. These flaws have all been described previously in the open literature, but in widely separated places. For those new to the field of computer security, they provide a good introduction to the characteristics of security flaws and how they ...

Keywords: error/defect classification, security flaw, taxonomy

23 BASE: using abstraction to improve fault tolerance

Rodrigo Rodrigues, Miguel Castro, Barbara Liskov

October 2001 **ACM SIGOPS Operating Systems Review , Proceedings of the eighteenth ACM symposium on Operating systems principles**, Volume 35 Issue 5

Full text available: pdf(1.47 MB) Additional Information: full citation, abstract, references, citings, index

terms

Software errors are a major cause of outages and they are increasingly exploited in malicious attacks. Byzantine fault tolerance allows replicated systems to mask some software errors but it is expensive to deploy. This paper describes a replication technique, BASE, which uses abstraction to reduce the cost of Byzantine fault tolerance and to improve its ability to mask software errors. BASE reduces cost because it enables reuse of off-the-shelf service implementations. It improves availability ...

24 Hints for computer system design

Butler W. Lampson

October 1983 **ACM SIGOPS Operating Systems Review , Proceedings of the ninth ACM symposium on Operating systems principles**, Volume 17 Issue 5

Full text available: pdf(1.73 MB) Additional Information: full citation, abstract, references, citings, index terms

Experience with the design and implementation of a number of computer systems, and study of many other systems, has led to some general hints for system design which are described here. They are illustrated by a number of examples, ranging from hardware such as the Alto and the Dorado to applications programs such as Bravo and Star.

25 4.2BSD and 4.3BSD as examples of the UNIX system

John S. Quarterman, Abraham Silberschatz, James L. Peterson

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available: pdf(4.07 MB) Additional Information: full citation, abstract, references, citings, index terms, review

This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Version (4.2BSD), which is a version of the UNIX Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California at Berkeley. We trace the historical development of the UNIX system from its conception in 1969 until today, and describe the design principles that have guided this development. We then present the internal data structures and ...

26 Parallel execution of prolog programs: a survey

Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo

July 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 23 Issue 4

Full text available: pdf(1.95 MB) Additional Information: full citation, abstract, references, citings, index terms

Since the early days of logic programming, researchers in the field realized the potential for exploitation of parallelism present in the execution of logic programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, among other characteristics, make logic programs interesting candidates for obtaining speedups through parallel execution. At the same time, the fact that the typical applications of logic programming frequently involve irregular computatio ...

Keywords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog

27 Office-by-example: an integrated office system and database manager

Kyu-Young Whang, Art Ammann, Anthony Bolmarcich, Maria Hanrahan, Guy Hochgesang, Kuan-Tsae Huang, Al Khorasani, Ravi Krishnamurthy, Gary Sockut, Paula Sweeney, Vance Waddle, Moshé Zloof

October 1987 **ACM Transactions on Information Systems (TOIS)**, Volume 5 Issue 4

Full text available: pdf(2.86 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Office-by-Example (OBE) is an integrated office information system that has been under development at IBM Research. OBE, an extension of Query-by-Example, supports various office features such as database tables, word processing, electronic mail, graphics, images, and so forth. These seemingly heterogeneous features are integrated through a language feature called example elements. Applications involving example elements are processed by the database manager, an integrated ...

28 Frangipani: a scalable distributed file system

Chandramohan A. Thekkath, Timothy Mann, Edward K. Lee

October 1997 **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles**, Volume 31 Issue 5

Full text available: pdf(2.20 MB) Additional Information: full citation, references, citings, index terms

29 Flexible support for multiple access control policies

Sushil Jajodia, Pierangela Samarati, Maria Luisa Sapino, V. S. Subrahmanian

June 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 2

Full text available: pdf(460.33 KB) Additional Information: full citation, abstract, references, citings, index terms

Although several access control policies can be devised for controlling access to information, all existing authorization models, and the corresponding enforcement mechanisms, are based on a specific policy (usually the closed policy). As a consequence, although different policy choices are possible in theory, in practice only a specific policy can actually be applied within a given system. In this paper, we present a unified framework that can enforce multiple access control policies withi ...

Keywords: access control policy, authorization, logic programming

30 Human-computer interface development: concepts and systems for its management

H. Rex Hartson, Deborah Hix

March 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 1

Full text available: pdf(7.97 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Human-computer interface management, from a computer science viewpoint, focuses on the process of developing quality human-computer interfaces, including their representation, design, implementation, execution, evaluation, and maintenance. This survey presents important concepts of interface management: dialogue independence, structural modeling, representation, interactive tools, rapid prototyping, development methodologies, and control structures. *Dialogue independence* is th ...

31 Tool support for refactoring functional programs

Huiqing Li, Claus Reinke, Simon Thompson

August 2003 **Proceedings of the ACM SIGPLAN workshop on Haskell**

Full text available: pdf(156.41 KB) Additional Information: full citation, abstract, references, citings, index terms

Refactorings are source-to-source program transformations which change program structure and organisation, but not program functionality. Documented in catalogues and supported by tools, refactoring provides the means to adapt and improve the design of existing code, and has thus enabled the trend towards modern agile software development

processes. Refactoring has taken a prominent place in software development and maintenance, but most of this recent success has taken place in the OO and XP co ...

Keywords: Haskell, language-aware programming environments, program transformation, refactoring, semantic editors

32 The Zebra striped network file system
John H. Hartman, John K. Ousterhout
August 1995 **ACM Transactions on Computer Systems (TOCS)**, Volume 13 Issue 3

Full text available: pdf(2.76 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Zebra is a network file system that increases throughput by striping the file data across multiple servers. Rather than striping each file separately, Zebra forms all the new data from each client into a single stream, which it then stripes using an approach similar to a log-structured file system. This provides high performance for writes of small files as well as for reads and writes of large files. Zebra also writes parity information in each stripe in the style of RAID disk arrays; this ...

Keywords: RAID, log-based striping, log-structured file system, parity computation

33 The Recovery Manager of the System R Database Manager
Jim Gray, Paul McJones, Mike Blasgen, Bruce Lindsay, Raymond Lorie, Tom Price, Franco Putzolu, Irving Traiger
June 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 2

Full text available: pdf(1.75 MB) Additional Information: full citation, references, citings, index terms

34 A designer's perspective of the Hawk multiprocessor operating system kernel
V. P. Holmes, D. L. Harris
July 1989 **ACM SIGOPS Operating Systems Review**, Volume 23 Issue 3

Full text available: pdf(1.60 MB) Additional Information: full citation, abstract, citings, index terms

The Hawk operating system kernel was specifically designed and implemented to support real-time applications on the SANDAC V embedded multiprocessor. The kernel provides a tasking model for program decomposition and supports message passing, synchronization, as well as other ancillary services. The kernel primitives have a Unix™-like system call interface to the C language and were designed to provide users a choice of level of abstraction, yet perform efficiently and behave predictabl ...

35 Technical reports
SIGACT News Staff
January 1980 **ACM SIGACT News**, Volume 12 Issue 1

Full text available: pdf(5.28 MB) Additional Information: full citation

36 A weighted voting algorithm for replicated directories
Joshua J. Bloch, Dean S. Daniels, Alfred Z. Spector
October 1987 **Journal of the ACM (JACM)**, Volume 34 Issue 4

Full text available: pdf(4.12 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Weighted voting is used as the basis for a replication technique for directories. This technique affords arbitrarily high data availability as well as high concurrency. Efficient algorithms are presented for all of the standard directory operations. A structural property of the replicated directory that permits the construction of an efficient algorithm for deletion is proven. Simulation results are presented and the system is modeled and analyzed. The analysis agrees well with the simulati ...

37 Improving the reliability of commodity operating systems
Michael M. Swift, Brian N. Bershad, Henry M. Levy
January 2005 **ACM Transactions on Computer Systems (TOCS)**, Volume 23 Issue 1

Full text available: pdf(459.98 KB) Additional Information: full citation, abstract, references, index terms

Despite decades of research in extensible operating system technology, extensions such as device drivers remain a significant cause of system failures. In Windows XP, for example, drivers account for 85&percent; of recently reported failures.This article describes Nooks, a *reliability subsystem* that seeks to greatly enhance operating system (OS) reliability by isolating the OS from driver failures. The Nooks approach is practical: rather than guaranteeing complete fault tolerance through ...

Keywords: I/O, Recovery, device drivers, protection, virtual memory

38 A program development tool
C. N. Alberga, A. L. Brown, G. B. Leeman, M. Mikelsons, M. N. Wegman
January 1981 **Proceedings of the 8th ACM SIGPLAN-SIGACT symposium on Principles of programming languages**

Full text available: pdf(1.24 MB) Additional Information: full citation, abstract, references, citings

In this paper we describe how we have combined a number of tools (most of which understand a particular programming language) into a single system to aid in the reading, writing, and running of programs. We discuss the efficacy and the structure of our system. For the last two years the system has been used to build itself; it currently consists of 500 kilobytes of machine code (25,000 lines of LISP/370 code) and approximately one hundred commands with large numbers of options. We will describe ...

39 The design and implementation of tripwire: a file system integrity checker
Gene H. Kim, Eugene H. Spafford
November 1994 **Proceedings of the 2nd ACM Conference on Computer and communications security**

Full text available: pdf(1.22 MB) Additional Information: full citation, abstract, references, citings, index terms

At the heart of most computer systems is a file system. The file system contains user data, executable programs, configuration and authorization information, and (usually) the base executable version of the operating system itself. The ability to monitor file systems for unauthorized or unexpected changes gives system administrators valuable data for protecting and maintaining their systems. However, in environments of many networked heterogeneous platforms with different policies and softw ...

40 MPEG-4: an object-based multimedia coding standard supporting mobile applications
Atul Puri, Alexandros Eleftheriadis
June 1998 **Mobile Networks and Applications**, Volume 3 Issue 1

Full text available: pdf(747.80 KB) Additional Information: full citation, abstract, references, citings, index terms, review

The ISO MPEG committee, after successful completion of the MPEG-1 and the MPEG-2 standards is currently working on MPEG-4, the third MPEG standard. Originally, MPEG-4 was

conceived to be a standard for coding of limited complexity audio-visual scenes at very low bit-rates; however, in July 1994, its scope was expanded to include coding of scenes as a collection of individual audio-visual objects and enabling a range of advanced functionalities not supported by other standards. One of the ke ...

Results 21 - 40 of 200 Result page: previous 1 **2** 3 4 5 6 7 8 9 10 next

Results for "(((error and information and directory and entry and replace)<in>metadata)) <and> (pyr &..." e-mail
Your search matched **0** of **1166705** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

(((error and information and directory and entry and replace)<in>metadata)) <and> (p »

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Refine Search

Search Results -

Terms	Documents
L1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near6 (fault$ or error$ or fail$)	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L16

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
L16	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near6 (fault$ or error$ or fail$)	1	L16
L15	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near(fault$ or error$ or fail$)	1	L15
L14	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$)	1	L14
L13	l1 and (replac$ Or overrid$ Or modif$ or chang$)	1	L13
L12	l7 and (replac$ Or overrid$ Or modif$ or chang$)	1	L12
L11	l1 and (access$ near9 (updat$ Or modif$ or chang$ or overrid$))	0	L11
L10	l7 and (access$ near9 (updat$ Or modif$ or chang$))	0	L10
L9	L1 and (access$ near9 (updat$ Or modif$ or chang$))	0	L9
L8	L7 and (access$ or entr$ or direc$ or table$)	1	L8
L7	5119377.pn.	1	L7

L6	l1 and ((call$ or invok$) near5 receiv$)	0	L6
L5	l1 and (fault$ near6 hand$)	1	L5
L4	l1 and access$	1	L4
L3	L2 and (replac$ or overrid$)	1	L3
L2	L1 and (updat$ or modif$ or chang$) near4 (direc$ or table$)	1	L2
L1	6708291.pn.	1	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L36

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=TDBD; PLUR=YES; OP=ADJ		
L36	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1	L36
	DB=DWPI; PLUR=YES; OP=ADJ		
L35	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	1	L35
	DB=JPAB; PLUR=YES; OP=ADJ		
L34	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L34
	DB=EPAB; PLUR=YES; OP=ADJ		

L33	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$ and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L33
L32	L30 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L32
	DB=PGPB; PLUR=YES; OP=ADJ		
L31	L30 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	0	L31
	DB=USOC; PLUR=YES; OP=ADJ		
L30	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$	91	L30
	DB=PGPB; PLUR=YES; OP=ADJ		
L29	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$) and (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) and replac$	2470	L29
	DB=USPT; PLUR=YES; OP=ADJ		
L28	L27 and l24	2	L28
L27	717/124,126.ccls.	405	L27
L26	L25 and l24	12	L26
L25	714/1,2,15,,25,38,48,49,715.ccls.	3463	L25
L24	L22 and (modif$ Or chang$ or updat$ or upgrad$ or alter) near9 (error$ Or fault$ or fail$)	297	L24
L23	L22 and (modif$ Or chang$ or updat$ or upgrad$ or alter) near9 (error$ Or fault$ or fail$ or identi$ or name$)	299	L23
L22	L21 and (entr$ near8 (director$ or table$))	300	L22
L21	L20 and (id$ Or name$ or type) near5 (error$ or fault$ or fail$)	945	L21
L20	l17 and replace$ near4 (updat$ or chang$ or modif$ Or overrid$)	2611	L20
L19	L18 and replace$	0	L19
L18	l17 and access$ near6 (updat$ or chang$ or modif$ Or overrid$) near5 (director$ or table$) L17	4	L18
L17	(updat$ or chang$ or modif$ Or overrid$) near9 (error$ or fault$ Or fail$)	76730	L17
L16	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near6 (fault$ or error$ or fail$)	1	L16
L15	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$ or upgrad$) near (fault$ or error$ or fail$)	1	L15
L14	l1 and (replac$ Or overrid$ Or modif$ or chang$ or updat$)	1	L14
L13	l1 and (replac$ Or overrid$ Or modif$ or chang$)	1	L13
L12	l7 and (replac$ Or overrid$ Or modif$ or chang$)	1	L12
L11	l1 and (access$ near9 (updat$ Or modif$ or chang$ or overrid$))	0	L11
L10	l7 and (access$ near9 (updat$ Or modif$ or chang$))	0	L10
L9	L1 and (access$ near9 (updat$ Or modif$ or chang$))	0	L9
L8	L7 and (access$ or entr$ or direc$ or table$)	1	L8
L7	5119377.pn.	1	L7
L6	l1 and ((call$ or invok$) near5 receiv$)	0	L6

L5	l1 and (fault$ near6 hand$)	1	L5
L4	l1 and access$	1	L4
L3	L2 and (replac$ or overrid$)	1	L3
L2	L1 and (updat$ or modif$ or chang$) near4 (direc$ or table$)	1	L2
L1	6708291.pn.	1	L1

END OF SEARCH HISTORY